

# NADLEŚNICTWO ROKITA

Rokita 2, 72-110 Przybiernów  
tel. (91) 418 65 81, 418 68 81  
e-mail: rokita@szczecin.lasy.gov.pl  
Regon 810539261 NIP 8560005132

Załącznik 3.4 do SIWZ

Postępowanie AG.270.4.1.2019

## Optymalna potencjalna technologia pozyskania drewna na pozycji

Pakiet: 01.L.8910111213

| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 08        | 10-25-1-08-515 -b -00 | TWP             | 120                       | 39%  | 184                    | 61%  | 304        |
| 08        | 10-25-1-08-515 -k -00 | TPP             | 0                         | 0%   | 20                     | 100% | 20         |
| 08        | 10-25-1-08-515 -k -00 | TWP             | 69                        | 80%  | 17                     | 20%  | 86         |
| 08        | 10-25-1-08-515 -m -00 | TWP             | 100                       | 91%  | 10                     | 9%   | 110        |
| 08        | 10-25-1-08-517 -o -00 | TPP             | 262                       | 83%  | 54                     | 17%  | 316        |
| 08        | 10-25-1-08-517 -p -00 | TPP             | 0                         | 0%   | 70                     | 100% | 70         |
| 08        | 10-25-1-08-529 -h -00 | TPP             | 245                       | 96%  | 10                     | 4%   | 255        |
| 08        | 10-25-1-08-530 -a -00 | TPP             | 45                        | 100% | 0                      | 0%   | 45         |
| 08        | 10-25-1-08-530 -b -00 | TPP             | 145                       | 100% | 0                      | 0%   | 145        |
| 08        | 10-25-1-08-530 -c -00 | TPP             | 137                       | 92%  | 12                     | 8%   | 149        |
| 08        | 10-25-1-08-530 -f -00 | IIIA            | 482                       | 91%  | 46                     | 9%   | 528        |
| 08        | 10-25-1-08-534 -j -00 | TPP             | 415                       | 96%  | 17                     | 4%   | 432        |
| 08        | 10-25-1-08-534 -k -00 | IB              | 220                       | 89%  | 26                     | 11%  | 246        |
| 08        | 10-25-1-08-534 -m -00 | IB              | 466                       | 97%  | 14                     | 3%   | 480        |
| 08        | 10-25-1-08-536 -a -00 | TPP             | 404                       | 96%  | 15                     | 4%   | 419        |
| 08        | 10-25-1-08-536 -b -00 | TPP             | 72                        | 100% | 0                      | 0%   | 72         |
| 08        | 10-25-1-08-545 -d -00 | IIIA            |                           |      | 150                    | 100% | 150        |
| 08        | 10-25-1-08-549 -c -00 | TWP             | 206                       | 96%  | 9                      | 4%   | 215        |
| 08        | 10-25-1-08-549 -f -00 | TPP             | 270                       | 96%  | 10                     | 4%   | 280        |
| 08        | 10-25-1-08-549 -i -00 | TPP             | 160                       | 91%  | 15                     | 9%   | 175        |
| 08        | 10-25-1-08-555 -k -00 | TPP             | 54                        | 17%  | 263                    | 83%  | 317        |
| 08        | 10-25-1-08-555 -m -00 | TWP             | 87                        | 74%  | 31                     | 26%  | 118        |
| 08        | 10-25-1-08-565 -h -00 | TWP             | 295                       | 97%  | 10                     | 3%   | 305        |
| 08        | 10-25-1-08-577 -a -00 | IB              | 1532                      | 97%  | 54                     | 3%   | 1586       |
| 08        | 10-25-1-08-577 -c -00 | TPP             | 92                        | 87%  | 14                     | 13%  | 106        |
| 08        | 10-25-1-08-577 -g -00 | IB              | 900                       | 90%  | 95                     | 10%  | 995        |
| 08        | 10-25-1-08-577 -k -00 | TPP             | 415                       | 98%  | 10                     | 2%   | 425        |
| 08        | 10-25-1-08-578 -d -00 | IIIA            | 510                       | 98%  | 8                      | 2%   | 518        |
| 08        | 10-25-1-08-587 -b -00 | IIIAU           | 644                       | 94%  | 43                     | 6%   | 687        |
| 08        | 10-25-1-08-597 -a -00 | TPP             | 94                        | 100% | 0                      | 0%   | 94         |
| 08        | 10-25-1-08-597 -c -00 | IIIB            | 925                       | 97%  | 33                     | 3%   | 958        |
| 08        | 10-25-1-08-597 -i -00 | TPP             | 50                        | 67%  | 25                     | 33%  | 75         |
| 08        | 10-25-1-08-597 -k -00 | TPP             | 130                       | 75%  | 43                     | 25%  | 173        |
| 08        | 10-25-1-08-599 -d -00 | IIIA            | 179                       | 73%  | 66                     | 27%  | 245        |
| 09        | 10-25-1-09-523 -b -00 | IIIA            | 287                       | 97%  | 9                      | 3%   | 296        |
| 09        | 10-25-1-09-523 -c -00 | IIIA            | 540                       | 93%  | 42                     | 7%   | 582        |
| 09        | 10-25-1-09-559 -g -99 | IIIA            | 381                       | 93%  | 30                     | 7%   | 411        |

| Leśnictwo | Adres leśny            | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|------------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 09        | 10-25-1-09-559 -m -00  | TPP             | 179                       | 97%  | 6                      | 3%   | 185        |
| 09        | 10-25-1-09-559 -n -00  | TPP             | 200                       | 99%  | 2                      | 1%   | 202        |
| 09        | 10-25-1-09-559 -p -00  | TPP             | 100                       | 98%  | 2                      | 2%   | 102        |
| 09        | 10-25-1-09-572 -n -00  | TWP             | 40                        | 91%  | 4                      | 9%   | 44         |
| 09        | 10-25-1-09-576 -f -00  | TPP             | 1446                      | 98%  | 27                     | 2%   | 1473       |
| 09        | 10-25-1-09-583 -c -00  | TWP             | 135                       | 96%  | 6                      | 4%   | 141        |
| 09        | 10-25-1-09-583 -i -00  | IIIAU           | 284                       | 81%  | 68                     | 19%  | 352        |
| 09        | 10-25-1-09-584 -g -00  | TPP             | 707                       | 95%  | 37                     | 5%   | 744        |
| 09        | 10-25-1-09-585 -d -00  | TPP             | 985                       | 95%  | 48                     | 5%   | 1033       |
| 09        | 10-25-1-09-591 -c -00  | IIIAU           | 701                       | 99%  | 8                      | 1%   | 709        |
| 09        | 10-25-1-09-591 -r -00  | IIIA            | 175                       | 88%  | 23                     | 12%  | 198        |
| 09        | 10-25-1-09-594 -a -00  | TPP             | 443                       | 100% | 0                      | 0%   | 443        |
| 09        | 10-25-1-09-594 -d -00  | TPP             | 174                       | 99%  | 2                      | 1%   | 176        |
| 09        | 10-25-1-09-594 -f -00  | TPP             | 0                         | 0%   | 195                    | 100% | 195        |
| 09        | 10-25-1-09-594A -a -00 | TWP             | 403                       | 98%  | 7                      | 2%   | 410        |
| 09        | 10-25-1-09-601 -c -00  | TWP             | 98                        | 60%  | 66                     | 40%  | 164        |
| 09        | 10-25-1-09-604 -a -00  | TPP             | 134                       | 89%  | 16                     | 11%  | 150        |
| 09        | 10-25-1-09-604 -c -00  | TPP             | 39                        | 80%  | 10                     | 20%  | 49         |
| 09        | 10-25-1-09-604 -g -00  | TPP             | 544                       | 97%  | 16                     | 3%   | 560        |
| 09        | 10-25-1-09-609 -n -00  | TPP             | 118                       | 95%  | 6                      | 5%   | 124        |
| 09        | 10-25-1-09-609 -o -00  | TPP             | 53                        | 98%  | 1                      | 2%   | 54         |
| 09        | 10-25-1-09-611 -i -00  | IIIA            | 189                       | 97%  | 5                      | 3%   | 194        |
| 09        | 10-25-1-09-616 -d -00  | TWP             | 116                       | 94%  | 7                      | 6%   | 123        |
| 09        | 10-25-1-09-617 -h -00  | TWP             | 48                        | 84%  | 9                      | 16%  | 57         |
| 09        | 10-25-1-09-624 -i -00  | IIIAU           | 1034                      | 88%  | 136                    | 12%  | 1170       |
| 10        | 10-25-1-10-498A -d -00 | IIIA            |                           |      | 377                    | 100% | 377        |
| 10        | 10-25-1-10-626 -j -00  | TWP             | 208                       | 95%  | 12                     | 5%   | 220        |
| 10        | 10-25-1-10-626 -k -00  | TWP             | 57                        | 100% | 0                      | 0%   | 57         |
| 10        | 10-25-1-10-626 -l -00  | TWP             | 113                       | 89%  | 14                     | 11%  | 127        |
| 10        | 10-25-1-10-627 -a -00  | TPP             | 3                         | 9%   | 30                     | 91%  | 33         |
| 10        | 10-25-1-10-627 -b -00  | TPP             |                           |      | 40                     | 100% | 40         |
| 10        | 10-25-1-10-631 -c -00  | TPP             | 160                       | 77%  | 49                     | 23%  | 209        |
| 10        | 10-25-1-10-635 -n -00  | IIIA            | 231                       | 99%  | 2                      | 1%   | 233        |
| 10        | 10-25-1-10-635 -p -00  | IIIAU           | 692                       | 84%  | 127                    | 16%  | 819        |
| 10        | 10-25-1-10-636 -c -00  | TPP             | 355                       | 97%  | 10                     | 3%   | 365        |
| 10        | 10-25-1-10-636 -j -00  | IIA             | 285                       | 83%  | 60                     | 17%  | 345        |
| 10        | 10-25-1-10-638 -d -00  | TWP             | 67                        | 93%  | 5                      | 7%   | 72         |
| 10        | 10-25-1-10-638 -h -00  | TPP             | 5                         | 3%   | 167                    | 97%  | 172        |
| 10        | 10-25-1-10-640 -d -00  | TPP             | 220                       | 80%  | 55                     | 20%  | 275        |
| 10        | 10-25-1-10-640 -h -00  | IB              | 251                       | 89%  | 30                     | 11%  | 281        |
| 10        | 10-25-1-10-651 -b -00  | IB              | 268                       | 83%  | 54                     | 17%  | 322        |
| 10        | 10-25-1-10-651 -f -00  | IB              | 224                       | 96%  | 10                     | 4%   | 234        |
| 10        | 10-25-1-10-656 -c -00  | TPP             | 120                       | 54%  | 102                    | 46%  | 222        |



| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 10        | 10-25-1-10-656 -d -00 | TPP             | 85                        | 77%  | 25                     | 23%  | 110        |
| 10        | 10-25-1-10-675 -c -00 | IIIAU           | 41                        | 40%  | 62                     | 60%  | 103        |
| 10        | 10-25-1-10-687 -g -00 | TPP             | 50                        | 69%  | 22                     | 31%  | 72         |
| 10        | 10-25-1-10-687 -h -00 | TPP             | 65                        | 51%  | 62                     | 49%  | 127        |
| 10        | 10-25-1-10-687 -i -00 | TPP             | 120                       | 71%  | 50                     | 29%  | 170        |
| 10        | 10-25-1-10-689 -d -00 | TPP             | 342                       | 82%  | 77                     | 18%  | 419        |
| 10        | 10-25-1-10-690 -b -00 | TPP             | 340                       | 89%  | 44                     | 11%  | 384        |
| 10        | 10-25-1-10-690 -c -00 | TPP             | 34                        | 72%  | 13                     | 28%  | 47         |
| 10        | 10-25-1-10-690 -g -00 | TPP             | 215                       | 88%  | 29                     | 12%  | 244        |
| 10        | 10-25-1-10-691 -g -00 | IB              | 472                       | 90%  | 50                     | 10%  | 522        |
| 10        | 10-25-1-10-692 -a -00 | TPP             | 75                        | 91%  | 7                      | 9%   | 82         |
| 10        | 10-25-1-10-692 -b -00 | TPP             | 107                       | 100% | 0                      | 0%   | 107        |
| 10        | 10-25-1-10-692 -c -00 | IIIAU           | 723                       | 94%  | 48                     | 6%   | 771        |
| 10        | 10-25-1-10-693 -a -00 | TPP             | 83                        | 92%  | 7                      | 8%   | 90         |
| 10        | 10-25-1-10-693 -j -00 | TPP             | 22                        | 47%  | 25                     | 53%  | 47         |
| 10        | 10-25-1-10-693 -l -00 | TPP             | 67                        | 61%  | 43                     | 39%  | 110        |
| 10        | 10-25-1-10-695 -d -00 | IIIA            | 282                       | 81%  | 67                     | 19%  | 349        |
| 10        | 10-25-1-10-698 -g -00 | TPP             | 122                       | 88%  | 17                     | 12%  | 139        |
| 11        | 10-25-1-11-663 -h -00 | IB              | 739                       | 87%  | 112                    | 13%  | 851        |
| 11        | 10-25-1-11-676 -h -99 | TWP             | 115                       | 92%  | 10                     | 8%   | 125        |
| 11        | 10-25-1-11-683 -o -00 | IB              | 294                       | 99%  | 3                      | 1%   | 297        |
| 11        | 10-25-1-11-684 -b -00 | IIIAU           | 395                       | 95%  | 20                     | 5%   | 415        |
| 11        | 10-25-1-11-685 -m -00 | IIIA            | 184                       | 94%  | 11                     | 6%   | 195        |
| 11        | 10-25-1-11-686 -m -00 | IIIA            | 190                       | 46%  | 227                    | 54%  | 417        |
| 11        | 10-25-1-11-700 -g -99 | TPP             | 305                       | 90%  | 35                     | 10%  | 340        |
| 11        | 10-25-1-11-700 -h -00 | TPP             | 90                        | 100% | 0                      | 0%   | 90         |
| 11        | 10-25-1-11-700 -i -00 | IB              | 392                       | 85%  | 68                     | 15%  | 460        |
| 11        | 10-25-1-11-701 -a -00 | TPP             | 0                         | 0%   | 55                     | 100% | 55         |
| 11        | 10-25-1-11-701 -f -00 | TPP             | 63                        | 70%  | 27                     | 30%  | 90         |
| 11        | 10-25-1-11-701 -g -00 | TPP             | 150                       | 97%  | 5                      | 3%   | 155        |
| 11        | 10-25-1-11-702 -c -00 | TPP             | 140                       | 100% | 0                      | 0%   | 140        |
| 11        | 10-25-1-11-702 -h -00 | TPP             | 30                        | 60%  | 20                     | 40%  | 50         |
| 11        | 10-25-1-11-702 -i -00 | TPP             | 90                        | 92%  | 8                      | 8%   | 98         |
| 11        | 10-25-1-11-702 -j -00 | TPP             | 121                       | 100% | 0                      | 0%   | 121        |
| 11        | 10-25-1-11-702 -l -00 | TPP             | 35                        | 88%  | 5                      | 13%  | 40         |
| 11        | 10-25-1-11-702 -m -00 | IB              | 597                       | 86%  | 97                     | 14%  | 694        |
| 11        | 10-25-1-11-702 -n -00 | TPP             | 90                        | 83%  | 18                     | 17%  | 108        |
| 11        | 10-25-1-11-705 -a -00 | TWP             | 45                        | 100% | 0                      | 0%   | 45         |
| 11        | 10-25-1-11-705 -f -00 | TWP             | 183                       | 100% | 0                      | 0%   | 183        |
| 11        | 10-25-1-11-707 -c -00 | TPP             | 23                        | 77%  | 7                      | 23%  | 30         |
| 11        | 10-25-1-11-707 -d -00 | TPP             | 70                        | 88%  | 10                     | 13%  | 80         |
| 11        | 10-25-1-11-707 -g -00 | TPP             | 95                        | 90%  | 10                     | 10%  | 105        |
| 11        | 10-25-1-11-707 -j -00 | TPP             | 30                        | 71%  | 12                     | 29%  | 42         |

| Leśnictwo | Adres leśny            | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|------------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 11        | 10-25-1-11-707 -n -00  | TPP             | 275                       | 92%  | 25                     | 8%   | 300        |
| 11        | 10-25-1-11-708 -a -00  | TPP             | 265                       | 80%  | 65                     | 20%  | 330        |
| 11        | 10-25-1-11-708 -b -00  | TPP             | 70                        | 100% | 0                      | 0%   | 70         |
| 11        | 10-25-1-11-708 -d -00  | TPP             | 70                        | 100% | 0                      | 0%   | 70         |
| 11        | 10-25-1-11-708 -g -00  | TPP             | 90                        | 90%  | 10                     | 10%  | 100        |
| 11        | 10-25-1-11-708 -j -00  | TPP             | 225                       | 83%  | 45                     | 17%  | 270        |
| 11        | 10-25-1-11-709 -m -00  | TPP             | 85                        | 94%  | 5                      | 6%   | 90         |
| 11        | 10-25-1-11-709 -n -00  | TPP             | 290                       | 94%  | 20                     | 6%   | 310        |
| 11        | 10-25-1-11-711 -b -99  | IIIA            | 0                         | 0%   | 465                    | 100% | 465        |
| 11        | 10-25-1-11-712 -d -00  | TWP             | 45                        | 100% | 0                      | 0%   | 45         |
| 11        | 10-25-1-11-712 -f -00  | TWP             | 55                        | 100% | 0                      | 0%   | 55         |
| 11        | 10-25-1-11-712 -h -00  | TWP             | 168                       | 85%  | 30                     | 15%  | 198        |
| 11        | 10-25-1-11-714 -b -00  | TWP             | 93                        | 100% | 0                      | 0%   | 93         |
| 11        | 10-25-1-11-735 -a -00  | TPP             | 158                       | 100% | 0                      | 0%   | 158        |
| 11        | 10-25-1-11-735 -c -00  | TPP             | 190                       | 90%  | 20                     | 10%  | 210        |
| 11        | 10-25-1-11-735 -d -00  | TPP             | 85                        | 81%  | 20                     | 19%  | 105        |
| 11        | 10-25-1-11-735 -g -00  | TPP             | 80                        | 100% | 0                      | 0%   | 80         |
| 11        | 10-25-1-11-737 -f -00  | IIIA            | 264                       | 79%  | 70                     | 21%  | 334        |
| 12        | 10-25-1-12-717 -i -00  | IIIAU           | 269                       | 54%  | 229                    | 46%  | 498        |
| 12        | 10-25-1-12-718 -f -00  | IIIAU           | 398                       | 64%  | 223                    | 36%  | 621        |
| 12        | 10-25-1-12-724 -h -00  | IB              | 954                       | 83%  | 194                    | 17%  | 1148       |
| 12        | 10-25-1-12-725 -a -00  | TWP             | 76                        | 52%  | 70                     | 48%  | 146        |
| 12        | 10-25-1-12-726 -b -00  | TWP             | 38                        | 100% | 0                      | 0%   | 38         |
| 12        | 10-25-1-12-738A -a -00 | TWP             | 356                       | 95%  | 20                     | 5%   | 376        |
| 12        | 10-25-1-12-742 -c -00  | TWP             | 16                        | 30%  | 38                     | 70%  | 54         |
| 12        | 10-25-1-12-742 -d -00  | TWP             | 26                        | 79%  | 7                      | 21%  | 33         |
| 12        | 10-25-1-12-744 -d -00  | TPP             | 374                       | 96%  | 15                     | 4%   | 389        |
| 12        | 10-25-1-12-761 -i -00  | TPP             | 47                        | 100% | 0                      | 0%   | 47         |
| 12        | 10-25-1-12-784 -f -00  | TPP             | 138                       | 100% | 0                      | 0%   | 138        |
| 12        | 10-25-1-12-785 -g -00  | TPP             | 946                       | 100% | 0                      | 0%   | 946        |
| 12        | 10-25-1-12-786 -h -00  | TPP             | 96                        | 91%  | 10                     | 9%   | 106        |
| 12        | 10-25-1-12-789 -k -00  | TWP             | 79                        | 91%  | 8                      | 9%   | 87         |
| 12        | 10-25-1-12-811A -b -00 | TPP             | 182                       | 95%  | 10                     | 5%   | 192        |
| 12        | 10-25-1-12-811A -c -00 | TWP             | 0                         | 0%   | 248                    | 100% | 248        |
| 12        | 10-25-1-12-812 -a -00  | TWP             | 60                        | 100% | 0                      | 0%   | 60         |
| 12        | 10-25-1-12-812 -h -00  | TPP             | 265                       | 100% | 0                      | 0%   | 265        |
| 12        | 10-25-1-12-812 -i -00  | TPP             | 46                        | 100% | 0                      | 0%   | 46         |
| 12        | 10-25-1-12-813 -f -00  | TPP             | 162                       | 80%  | 40                     | 20%  | 202        |
| 12        | 10-25-1-12-813 -i -00  | TPP             | 343                       | 90%  | 39                     | 10%  | 382        |
| 12        | 10-25-1-12-814 -h -01  | IIIAU           | 833                       | 98%  | 21                     | 2%   | 854        |
| 12        | 10-25-1-12-826 -i -00  | TPP             | 168                       | 100% | 0                      | 0%   | 168        |
| 12        | 10-25-1-12-826 -j -00  | TPP             | 399                       | 100% | 0                      | 0%   | 399        |
| 12        | 10-25-1-12-828 -j -00  | TPP             | 186                       | 80%  | 46                     | 20%  | 232        |



| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 12        | 10-25-1-12-840 -l -00 | TPP             | 66                        | 80%  | 16                     | 20%  | 82         |
| 12        | 10-25-1-12-840 -p -00 | TPP             | 180                       | 100% | 0                      | 0%   | 180        |
| 12        | 10-25-1-12-840 -w -00 | TPP             | 157                       | 100% | 0                      | 0%   | 157        |
| 12        | 10-25-1-12-846 -b -00 | TPP             | 55                        | 100% | 0                      | 0%   | 55         |
| 12        | 10-25-1-12-846 -f -00 | TPP             |                           |      | 55                     | 100% | 55         |
| 12        | 10-25-1-12-847 -a -00 | IIIB            | 1070                      | 90%  | 117                    | 10%  | 1187       |
| 12        | 10-25-1-12-847 -i -00 | TPP             | 176                       | 74%  | 63                     | 26%  | 239        |
| 13        | 10-25-1-13-730 -l -02 | IB              | 72                        | 90%  | 8                      | 10%  | 80         |
| 13        | 10-25-1-13-747 -j -00 | IIIA            | 228                       | 100% | 0                      | 0%   | 228        |
| 13        | 10-25-1-13-749 -a -02 | IB              | 60                        | 86%  | 10                     | 14%  | 70         |
| 13        | 10-25-1-13-749 -a -99 | IB              | 130                       | 80%  | 32                     | 20%  | 162        |
| 13        | 10-25-1-13-752 -a -00 | TPP             | 105                       | 78%  | 30                     | 22%  | 135        |
| 13        | 10-25-1-13-752 -b -00 | TPP             | 150                       | 88%  | 20                     | 12%  | 170        |
| 13        | 10-25-1-13-752 -c -00 | TPP             | 80                        | 78%  | 22                     | 22%  | 102        |
| 13        | 10-25-1-13-752 -d -00 | TPP             | 105                       | 95%  | 5                      | 5%   | 110        |
| 13        | 10-25-1-13-752 -f -00 | TPP             | 60                        | 92%  | 5                      | 8%   | 65         |
| 13        | 10-25-1-13-752 -g -00 | TPP             | 60                        | 95%  | 3                      | 5%   | 63         |
| 13        | 10-25-1-13-752 -h -00 | TPP             | 145                       | 99%  | 2                      | 1%   | 147        |
| 13        | 10-25-1-13-752 -i -00 | TPP             | 120                       | 97%  | 4                      | 3%   | 124        |
| 13        | 10-25-1-13-753 -a -00 | TPP             | 325                       | 98%  | 7                      | 2%   | 332        |
| 13        | 10-25-1-13-753 -b -00 | TPP             | 135                       | 96%  | 5                      | 4%   | 140        |
| 13        | 10-25-1-13-753 -c -00 | TPP             | 122                       | 100% | 0                      | 0%   | 122        |
| 13        | 10-25-1-13-753 -f -00 | TPP             | 165                       | 96%  | 7                      | 4%   | 172        |
| 13        | 10-25-1-13-753 -g -00 | TPP             | 25                        | 20%  | 100                    | 80%  | 125        |
| 13        | 10-25-1-13-753 -h -00 | TPP             | 140                       | 85%  | 25                     | 15%  | 165        |
| 13        | 10-25-1-13-770 -g -00 | IIIAU           | 747                       | 99%  | 8                      | 1%   | 755        |
| 13        | 10-25-1-13-779 -a -00 | TPP             | 365                       | 97%  | 10                     | 3%   | 375        |
| 13        | 10-25-1-13-779 -b -00 | TPP             | 90                        | 95%  | 5                      | 5%   | 95         |
| 13        | 10-25-1-13-779 -c -00 | TPP             | 265                       | 97%  | 8                      | 3%   | 273        |
| 13        | 10-25-1-13-779 -d -00 | TPP             | 110                       | 100% | 0                      | 0%   | 110        |
| 13        | 10-25-1-13-779 -f -00 | TPP             | 110                       | 100% | 0                      | 0%   | 110        |
| 13        | 10-25-1-13-779 -g -00 | TPP             | 65                        | 100% | 0                      | 0%   | 65         |
| 13        | 10-25-1-13-779 -h -00 | TPP             | 37                        | 100% | 0                      | 0%   | 37         |
| 13        | 10-25-1-13-779 -i -00 | TPP             | 25                        | 100% | 0                      | 0%   | 25         |
| 13        | 10-25-1-13-782 -a -00 | TPP             | 450                       | 98%  | 10                     | 2%   | 460        |
| 13        | 10-25-1-13-782 -b -00 | TPP             | 100                       | 100% | 0                      | 0%   | 100        |
| 13        | 10-25-1-13-782 -c -00 | TPP             | 247                       | 100% | 0                      | 0%   | 247        |
| 13        | 10-25-1-13-782 -d -00 | TWP             | 220                       | 98%  | 5                      | 2%   | 225        |
| 13        | 10-25-1-13-782 -f -00 | TPP             | 85                        | 100% | 0                      | 0%   | 85         |
| 13        | 10-25-1-13-793 -f -99 | IIIA            | 311                       | 94%  | 21                     | 6%   | 332        |
| 13        | 10-25-1-13-795 -j -00 | IB              | 254                       | 100% | 0                      | 0%   | 254        |
| 13        | 10-25-1-13-796 -b -00 | TWP             | 48                        | 100% | 0                      | 0%   | 48         |
| 13        | 10-25-1-13-796 -j -00 | TWP             | 75                        | 100% | 0                      | 0%   | 75         |

| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %      | Pozyskanie ręczne [m3] | %      | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|--------|------------------------|--------|------------|
| 13        | 10-25-1-13-796 -n -00 | IB              | 361                       | 98%    | 9                      | 2%     | 370        |
| 13        | 10-25-1-13-797 -b -00 | TPP             | 215                       | 100%   | 0                      | 0%     | 215        |
| 13        | 10-25-1-13-797 -c -00 | TPP             | 240                       | 91%    | 25                     | 9%     | 265        |
| 13        | 10-25-1-13-797 -d -00 | TWP             | 115                       | 100%   | 0                      | 0%     | 115        |
| 13        | 10-25-1-13-797 -g -00 | IB              | 602                       | 83%    | 120                    | 17%    | 722        |
| 13        | 10-25-1-13-800 -a -00 | TPP             | 90                        | 86%    | 15                     | 14%    | 105        |
| 13        | 10-25-1-13-800 -b -00 | TPP             | 275                       | 93%    | 20                     | 7%     | 295        |
| 13        | 10-25-1-13-800 -c -00 | TPP             | 110                       | 100%   | 0                      | 0%     | 110        |
| 13        | 10-25-1-13-818 -b -00 | TPP             | 300                       | 94%    | 20                     | 6%     | 320        |
| 13        | 10-25-1-13-819 -a -00 | IB              | 460                       | 98%    | 8                      | 2%     | 468        |
| 13        | 10-25-1-13-822 -h -00 | TWP             | 155                       | 100%   | 0                      | 0%     | 155        |
| 13        | 10-25-1-13-822 -i -00 | TWP             | 75                        | 100%   | 0                      | 0%     | 75         |
| 13        | 10-25-1-13-822 -j -00 | TWP             | 160                       | 100%   | 0                      | 0%     | 160        |
| 13        | 10-25-1-13-834 -d -00 | TWP             | 65                        | 100%   | 0                      | 0%     | 65         |
| Suma:     |                       |                 | 49971                     | 86,91% | 7527                   | 13,09% | 57 498     |

## Pakiet: 02.L.0102030405

| Leśnictwo | Adres leśny          | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %   | Razem [m3] |
|-----------|----------------------|-----------------|---------------------------|------|------------------------|-----|------------|
| 01        | 10-25-2-01-3 -a -00  | TPP             | 726                       | 84%  | 134                    | 16% | 860        |
| 01        | 10-25-2-01-3 -d -00  | TPP             | 32                        | 54%  | 27                     | 46% | 59         |
| 01        | 10-25-2-01-3 -l -00  | TPP             | 104                       | 81%  | 25                     | 19% | 129        |
| 01        | 10-25-2-01-3 -m -00  | TPP             | 24                        | 62%  | 15                     | 38% | 39         |
| 01        | 10-25-2-01-4 -a -00  | TPP             | 197                       | 91%  | 20                     | 9%  | 217        |
| 01        | 10-25-2-01-9 -o -00  | TPP             | 296                       | 90%  | 32                     | 10% | 328        |
| 01        | 10-25-2-01-9 -s -00  | TPP             | 233                       | 87%  | 35                     | 13% | 268        |
| 01        | 10-25-2-01-10 -c -00 | TWP             | 66                        | 94%  | 4                      | 6%  | 70         |
| 01        | 10-25-2-01-10 -k -00 | TPP             | 45                        | 92%  | 4                      | 8%  | 49         |
| 01        | 10-25-2-01-11 -d -00 | TPP             | 10                        | 4%   | 217                    | 96% | 227        |
| 01        | 10-25-2-01-11 -i -00 | TPP             | 83                        | 50%  | 82                     | 50% | 165        |
| 01        | 10-25-2-01-11 -j -00 | TPP             | 69                        | 43%  | 93                     | 57% | 162        |
| 01        | 10-25-2-01-11 -k -00 | IIIAU           | 56                        | 29%  | 134                    | 71% | 190        |
| 01        | 10-25-2-01-16 -a -00 | TPP             | 233                       | 88%  | 33                     | 12% | 266        |
| 01        | 10-25-2-01-16 -c -00 | TPP             | 63                        | 98%  | 1                      | 2%  | 64         |
| 01        | 10-25-2-01-16 -m -00 | TWP             | 77                        | 91%  | 8                      | 9%  | 85         |
| 01        | 10-25-2-01-17 -b -00 | TPP             | 188                       | 94%  | 13                     | 6%  | 201        |
| 01        | 10-25-2-01-17 -h -00 | TPP             | 259                       | 92%  | 24                     | 8%  | 283        |
| 01        | 10-25-2-01-19 -k -00 | IIIAU           | 1308                      | 97%  | 43                     | 3%  | 1351       |
| 01        | 10-25-2-01-20 -w -00 | IIIAU           | 750                       | 72%  | 285                    | 28% | 1035       |
| 01        | 10-25-2-01-25 -b -00 | TWP             | 228                       | 89%  | 29                     | 11% | 257        |
| 01        | 10-25-2-01-25 -h -00 | TWP             | 168                       | 100% | 0                      | 0%  | 168        |



| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 01        | 10-25-2-01-36 -f -00  | TWP             | 221                       | 100% | 1                      | 0%   | 222        |
| 01        | 10-25-2-01-36 -k -00  | TWP             | 191                       | 96%  | 9                      | 5%   | 200        |
| 01        | 10-25-2-01-45 -b -00  | IIIA            | 43                        | 18%  | 195                    | 82%  | 238        |
| 01        | 10-25-2-01-49 -g -00  | TPP             | 363                       | 78%  | 105                    | 22%  | 468        |
| 01        | 10-25-2-01-58 -h -00  | TPP             | 289                       | 84%  | 57                     | 16%  | 346        |
| 01        | 10-25-2-01-59 -i -00  | TWP             | 86                        | 97%  | 3                      | 3%   | 89         |
| 01        | 10-25-2-01-59 -k -00  | TWP             | 44                        | 86%  | 7                      | 14%  | 51         |
| 01        | 10-25-2-01-60 -l -00  | TWP             | 238                       | 98%  | 5                      | 2%   | 243        |
| 01        | 10-25-2-01-61 -i -00  | IB              | 219                       | 98%  | 4                      | 2%   | 223        |
| 01        | 10-25-2-01-64 -h -00  | IIIAU           | 87                        | 15%  | 509                    | 85%  | 596        |
| 02        | 10-25-2-02-72 -z -00  | TWP             | 50                        | 45%  | 60                     | 55%  | 110        |
| 02        | 10-25-2-02-74 -c -00  | TPP             | 0                         | 0%   | 256                    | 100% | 256        |
| 02        | 10-25-2-02-76 -g -00  | TWP             | 135                       | 63%  | 80                     | 37%  | 215        |
| 02        | 10-25-2-02-83 -b -00  | TPP             | 200                       | 95%  | 10                     | 5%   | 210        |
| 02        | 10-25-2-02-111 -h -00 | IIIB            | 247                       | 91%  | 25                     | 9%   | 272        |
| 02        | 10-25-2-02-111 -i -00 | IIIB            | 277                       | 86%  | 44                     | 14%  | 321        |
| 02        | 10-25-2-02-111 -k -00 | IIIB            | 692                       | 75%  | 231                    | 25%  | 923        |
| 02        | 10-25-2-02-112 -f -00 | TPP             | 10                        | 5%   | 200                    | 95%  | 210        |
| 02        | 10-25-2-02-112 -g -00 | TPP             | 250                       | 91%  | 25                     | 9%   | 275        |
| 02        | 10-25-2-02-113 -a -00 | TPP             | 250                       | 97%  | 8                      | 3%   | 258        |
| 02        | 10-25-2-02-116 -i -00 | TWP             | 0                         | 0%   | 15                     | 100% | 15         |
| 02        | 10-25-2-02-117 -h -00 | TWP             | 0                         | 0%   | 15                     | 100% | 15         |
| 02        | 10-25-2-02-125 -d -00 | IB              | 345                       | 93%  | 26                     | 7%   | 371        |
| 02        | 10-25-2-02-125 -h -00 | TWP             | 45                        | 43%  | 60                     | 57%  | 105        |
| 02        | 10-25-2-02-125 -i -00 | TPP             | 120                       | 69%  | 53                     | 31%  | 173        |
| 02        | 10-25-2-02-125 -j -00 | TWP             | 110                       | 100% | 0                      | 0%   | 110        |
| 02        | 10-25-2-02-125 -k -00 | TWP             |                           |      | 10                     | 100% | 10         |
| 02        | 10-25-2-02-125 -l -00 | TPP             | 230                       | 97%  | 8                      | 3%   | 238        |
| 02        | 10-25-2-02-125 -n -00 | TPP             | 120                       | 100% | 0                      | 0%   | 120        |
| 02        | 10-25-2-02-128 -a -00 | IIA             | 20                        | 8%   | 220                    | 92%  | 240        |
| 02        | 10-25-2-02-129 -d -00 | IIA             | 361                       | 70%  | 158                    | 30%  | 519        |
| 02        | 10-25-2-02-129 -f -00 | IIA             |                           |      | 189                    | 100% | 189        |
| 02        | 10-25-2-02-129 -j -00 | IIA             | 42                        | 5%   | 835                    | 95%  | 877        |
| 02        | 10-25-2-02-133 -g -00 | TWP             | 115                       | 100% | 0                      | 0%   | 115        |
| 02        | 10-25-2-02-133 -l -00 | TWP             | 35                        | 88%  | 5                      | 13%  | 40         |
| 02        | 10-25-2-02-133 -z -00 | TWP             | 50                        | 71%  | 20                     | 29%  | 70         |
| 02        | 10-25-2-02-143 -a -00 | TPP             | 20                        | 100% | 0                      | 0%   | 20         |
| 02        | 10-25-2-02-147 -b -00 | IIA             | 59                        | 15%  | 341                    | 85%  | 400        |
| 02        | 10-25-2-02-147 -h -00 | TPP             | 0                         | 0%   | 50                     | 100% | 50         |
| 02        | 10-25-2-02-147 -i -00 | TPP             | 100                       | 100% | 0                      | 0%   | 100        |
| 02        | 10-25-2-02-148 -a -00 | TPP             | 660                       | 91%  | 65                     | 9%   | 725        |
| 02        | 10-25-2-02-148 -b -00 | TPP             | 80                        | 100% | 0                      | 0%   | 80         |
| 02        | 10-25-2-02-149 -g -00 | TPP             | 60                        | 100% | 0                      | 0%   | 60         |

| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 02        | 10-25-2-02-149 -h -00 | TPP             | 80                        | 100% | 0                      | 0%   | 80         |
| 02        | 10-25-2-02-149 -i -00 | TPP             | 285                       | 83%  | 60                     | 17%  | 345        |
| 02        | 10-25-2-02-150 -d -00 | TPP             | 415                       | 92%  | 35                     | 8%   | 450        |
| 02        | 10-25-2-02-151 -c -00 | TWP             | 70                        | 93%  | 5                      | 7%   | 75         |
| 03        | 10-25-2-03-137 -f -00 | TPP             | 445                       | 98%  | 10                     | 2%   | 455        |
| 03        | 10-25-2-03-138 -a -00 | TPP             | 252                       | 98%  | 5                      | 2%   | 257        |
| 03        | 10-25-2-03-139 -a -00 | TPP             | 265                       | 97%  | 8                      | 3%   | 273        |
| 03        | 10-25-2-03-139 -j -00 | IB              | 304                       | 97%  | 10                     | 3%   | 314        |
| 03        | 10-25-2-03-140 -a -00 | TPP             | 445                       | 97%  | 13                     | 3%   | 458        |
| 03        | 10-25-2-03-140 -i -00 | IB              | 89                        | 81%  | 21                     | 19%  | 110        |
| 03        | 10-25-2-03-140 -j -00 | IB              | 189                       | 87%  | 29                     | 13%  | 218        |
| 03        | 10-25-2-03-158 -a -00 | TWP             | 165                       | 90%  | 18                     | 10%  | 183        |
| 03        | 10-25-2-03-158 -c -00 | TPP             | 335                       | 96%  | 15                     | 4%   | 350        |
| 03        | 10-25-2-03-159 -a -00 | IB              | 214                       | 92%  | 18                     | 8%   | 232        |
| 03        | 10-25-2-03-161 -h -00 | TWP             | 155                       | 94%  | 10                     | 6%   | 165        |
| 03        | 10-25-2-03-176 -j -00 | TPP             | 150                       | 89%  | 18                     | 11%  | 168        |
| 03        | 10-25-2-03-176 -n -00 | TPP             | 70                        | 84%  | 13                     | 16%  | 83         |
| 03        | 10-25-2-03-177 -c -00 | TPP             | 320                       | 96%  | 15                     | 4%   | 335        |
| 03        | 10-25-2-03-177 -d -00 | TPP             | 115                       | 92%  | 10                     | 8%   | 125        |
| 03        | 10-25-2-03-177 -f -00 | TPP             | 40                        | 80%  | 10                     | 20%  | 50         |
| 03        | 10-25-2-03-177 -g -00 | TPP             | 225                       | 96%  | 10                     | 4%   | 235        |
| 03        | 10-25-2-03-177 -n -00 | IB              | 354                       | 99%  | 5                      | 1%   | 359        |
| 03        | 10-25-2-03-178 -i -00 | TWP             | 170                       | 94%  | 10                     | 6%   | 180        |
| 03        | 10-25-2-03-178 -j -00 | TWP             | 205                       | 98%  | 5                      | 2%   | 210        |
| 03        | 10-25-2-03-187 -d -00 | TPP             | 95                        | 95%  | 5                      | 5%   | 100        |
| 03        | 10-25-2-03-188 -b -00 | TPP             | 180                       | 92%  | 15                     | 8%   | 195        |
| 03        | 10-25-2-03-189 -a -00 | TPP             | 133                       | 90%  | 15                     | 10%  | 148        |
| 03        | 10-25-2-03-189 -d -00 | TPP             | 95                        | 95%  | 5                      | 5%   | 100        |
| 03        | 10-25-2-03-189 -g -00 | IB              | 1736                      | 93%  | 130                    | 7%   | 1866       |
| 03        | 10-25-2-03-204 -g -00 | TPP             | 225                       | 98%  | 5                      | 2%   | 230        |
| 03        | 10-25-2-03-207 -c -00 | IB              | 150                       | 55%  | 123                    | 45%  | 273        |
| 03        | 10-25-2-03-209 -b -00 | TPP             | 315                       | 89%  | 40                     | 11%  | 355        |
| 03        | 10-25-2-03-212 -d -00 | TPP             | 295                       | 97%  | 8                      | 3%   | 303        |
| 03        | 10-25-2-03-215 -g -00 | TPP             | 234                       | 100% | 0                      | 0%   | 234        |
| 03        | 10-25-2-03-215 -h -00 | TPP             | 165                       | 97%  | 5                      | 3%   | 170        |
| 03        | 10-25-2-03-238 -l -00 | IB              | 788                       | 96%  | 35                     | 4%   | 823        |
| 03        | 10-25-2-03-287 -j -00 | IIIB            | 245                       | 91%  | 23                     | 9%   | 268        |
| 04        | 10-25-2-04-165 -j -00 | IB              | 242                       | 84%  | 46                     | 16%  | 288        |
| 04        | 10-25-2-04-171 -a -00 | TPP             | 0                         | 0%   | 33                     | 100% | 33         |
| 04        | 10-25-2-04-171 -b -00 | TPP             | 136                       | 100% | 0                      | 0%   | 136        |
| 04        | 10-25-2-04-171 -c -00 | TPP             | 136                       | 96%  | 5                      | 4%   | 141        |
| 04        | 10-25-2-04-171 -f -00 | TPP             | 0                         | 0%   | 49                     | 100% | 49         |
| 04        | 10-25-2-04-173 -d -00 | IIIAU           | 750                       | 74%  | 263                    | 26%  | 1013       |



| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 04        | 10-25-2-04-191 -a -00 | TWP             | 66                        | 100% | 0                      | 0%   | 66         |
| 04        | 10-25-2-04-191 -b -00 | TPP             | 355                       | 100% | 0                      | 0%   | 355        |
| 04        | 10-25-2-04-191 -f -00 | TPP             | 340                       | 100% | 0                      | 0%   | 340        |
| 04        | 10-25-2-04-191 -g -00 | TPP             | 73                        | 100% | 0                      | 0%   | 73         |
| 04        | 10-25-2-04-191 -h -00 | TPP             | 39                        | 100% | 0                      | 0%   | 39         |
| 04        | 10-25-2-04-196 -a -00 | TPP             | 216                       | 100% | 0                      | 0%   | 216        |
| 04        | 10-25-2-04-196 -b -00 | TPP             | 250                       | 100% | 0                      | 0%   | 250        |
| 04        | 10-25-2-04-197 -h -00 | TWP             | 35                        | 100% | 0                      | 0%   | 35         |
| 04        | 10-25-2-04-198 -f -00 | TWP             | 46                        | 100% | 0                      | 0%   | 46         |
| 04        | 10-25-2-04-198 -i -00 | TWP             | 76                        | 100% | 0                      | 0%   | 76         |
| 04        | 10-25-2-04-218 -h -00 | TPP             | 88                        | 100% | 0                      | 0%   | 88         |
| 04        | 10-25-2-04-218 -i -00 | TPP             | 41                        | 100% | 0                      | 0%   | 41         |
| 04        | 10-25-2-04-219 -f -00 | IB              | 318                       | 100% | 1                      | 0%   | 319        |
| 04        | 10-25-2-04-220 -a -00 | TPP             | 53                        | 100% | 0                      | 0%   | 53         |
| 04        | 10-25-2-04-220 -d -00 | TPP             | 370                       | 100% | 0                      | 0%   | 370        |
| 04        | 10-25-2-04-225 -a -00 | TWP             | 0                         | 0%   | 85                     | 100% | 85         |
| 04        | 10-25-2-04-225 -f -00 | TWP             | 109                       | 97%  | 3                      | 3%   | 112        |
| 04        | 10-25-2-04-225 -g -00 | TPP             | 204                       | 99%  | 3                      | 1%   | 207        |
| 04        | 10-25-2-04-226 -b -00 | TWP             | 148                       | 100% | 0                      | 0%   | 148        |
| 04        | 10-25-2-04-227 -k -00 | TWP             | 30                        | 100% | 0                      | 0%   | 30         |
| 04        | 10-25-2-04-227 -m -00 | TPP             | 270                       | 100% | 0                      | 0%   | 270        |
| 04        | 10-25-2-04-232 -a -00 | TWP             | 135                       | 86%  | 22                     | 14%  | 157        |
| 04        | 10-25-2-04-232 -g -00 | TWP             | 130                       | 100% | 0                      | 0%   | 130        |
| 04        | 10-25-2-04-233 -a -00 | TWP             | 85                        | 97%  | 3                      | 3%   | 88         |
| 04        | 10-25-2-04-244 -j -00 | IIIAU           | 764                       | 93%  | 55                     | 7%   | 819        |
| 04        | 10-25-2-04-245 -a -00 | TPP             | 176                       | 100% | 0                      | 0%   | 176        |
| 04        | 10-25-2-04-245 -i -01 | IIIAU           | 1183                      | 99%  | 12                     | 1%   | 1195       |
| 04        | 10-25-2-04-253 -n -00 | TPP             | 0                         | 0%   | 98                     | 100% | 98         |
| 04        | 10-25-2-04-255 -i -00 | TWP             | 83                        | 100% | 0                      | 0%   | 83         |
| 04        | 10-25-2-04-256 -c -00 | TPP             | 0                         | 0%   | 38                     | 100% | 38         |
| 04        | 10-25-2-04-256 -f -00 | TPP             | 145                       | 98%  | 3                      | 2%   | 148        |
| 04        | 10-25-2-04-258 -d -00 | TPP             | 250                       | 100% | 0                      | 0%   | 250        |
| 04        | 10-25-2-04-258 -f -00 | TPP             | 148                       | 98%  | 3                      | 2%   | 151        |
| 04        | 10-25-2-04-291 -a -00 | TPP             | 0                         | 0%   | 138                    | 100% | 138        |
| 04        | 10-25-2-04-291 -b -00 | TPP             | 395                       | 99%  | 5                      | 1%   | 400        |
| 04        | 10-25-2-04-292 -b -00 | TPP             | 390                       | 100% | 0                      | 0%   | 390        |
| 04        | 10-25-2-04-327 -d -00 | IIA             | 7                         | 3%   | 239                    | 97%  | 246        |
| 05        | 10-25-2-05-263 -i -00 | TWP             |                           |      | 175                    | 100% | 175        |
| 05        | 10-25-2-05-263 -j -00 | TWP             | 0                         | 0%   | 44                     | 100% | 44         |
| 05        | 10-25-2-05-270 -a -00 | TWP             | 0                         | 0%   | 55                     | 100% | 55         |
| 05        | 10-25-2-05-270 -b -00 | TPP             | 0                         | 0%   | 36                     | 100% | 36         |
| 05        | 10-25-2-05-270 -i -00 | TPP             | 36                        | 84%  | 7                      | 16%  | 43         |
| 05        | 10-25-2-05-270 -l -00 | TPP             | 0                         | 0%   | 117                    | 100% | 117        |

| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %    | Pozyskanie ręczne [m3] | %    | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|------|------------------------|------|------------|
| 05        | 10-25-2-05-271 -d -00 | TPP             | 45                        | 80%  | 11                     | 20%  | 56         |
| 05        | 10-25-2-05-271 -g -00 | TPP             | 72                        | 91%  | 7                      | 9%   | 79         |
| 05        | 10-25-2-05-272 -c -00 | TPP             | 64                        | 81%  | 15                     | 19%  | 79         |
| 05        | 10-25-2-05-272 -d -00 | TPP             | 0                         | 0%   | 47                     | 100% | 47         |
| 05        | 10-25-2-05-272 -g -00 | TPP             | 36                        | 64%  | 20                     | 36%  | 56         |
| 05        | 10-25-2-05-274 -c -00 | TPP             | 214                       | 99%  | 3                      | 1%   | 217        |
| 05        | 10-25-2-05-274 -j -00 | TPP             | 245                       | 99%  | 3                      | 1%   | 248        |
| 05        | 10-25-2-05-275 -f -00 | TPP             | 71                        | 57%  | 54                     | 43%  | 125        |
| 05        | 10-25-2-05-275 -g -00 | TWP             | 0                         | 0%   | 152                    | 100% | 152        |
| 05        | 10-25-2-05-276 -a -00 | TPP             | 27                        | 79%  | 7                      | 21%  | 34         |
| 05        | 10-25-2-05-277 -d -00 | TWP             | 16                        | 25%  | 48                     | 75%  | 64         |
| 05        | 10-25-2-05-278 -g -00 | TPP             | 0                         | 0%   | 39                     | 100% | 39         |
| 05        | 10-25-2-05-278 -h -00 | TWP             | 32                        | 100% | 0                      | 0%   | 32         |
| 05        | 10-25-2-05-279 -a -00 | TWP             | 125                       | 92%  | 11                     | 8%   | 136        |
| 05        | 10-25-2-05-279 -c -00 | TWP             | 162                       | 88%  | 23                     | 12%  | 185        |
| 05        | 10-25-2-05-279 -c -00 | TPP             | 0                         | 0%   | 31                     | 100% | 31         |
| 05        | 10-25-2-05-279 -d -00 | TPP             | 33                        | 100% | 0                      | 0%   | 33         |
| 05        | 10-25-2-05-279 -f -00 | TWP             | 121                       | 88%  | 16                     | 12%  | 137        |
| 05        | 10-25-2-05-298 -d -00 | TPP             | 95                        | 63%  | 55                     | 37%  | 150        |
| 05        | 10-25-2-05-301 -b -00 | TWP             | 109                       | 99%  | 1                      | 1%   | 110        |
| 05        | 10-25-2-05-302 -a -00 | TPP             | 55                        | 82%  | 12                     | 18%  | 67         |
| 05        | 10-25-2-05-302 -k -00 | TPP             | 0                         | 0%   | 31                     | 100% | 31         |
| 05        | 10-25-2-05-303 -k -00 | TPP             | 15                        | 15%  | 86                     | 85%  | 101        |
| 05        | 10-25-2-05-304 -f -00 | TPP             | 10                        | 23%  | 34                     | 77%  | 44         |
| 05        | 10-25-2-05-304 -i -00 | TPP             |                           |      | 84                     | 100% | 84         |
| 05        | 10-25-2-05-305 -a -00 | TPP             | 122                       | 98%  | 3                      | 2%   | 125        |
| 05        | 10-25-2-05-312 -b -00 | TPP             |                           |      | 114                    | 100% | 114        |
| 05        | 10-25-2-05-312 -c -00 | TPP             | 41                        | 62%  | 25                     | 38%  | 66         |
| 05        | 10-25-2-05-312 -d -00 | TPP             | 30                        | 73%  | 11                     | 27%  | 41         |
| 05        | 10-25-2-05-312 -j -00 | TPP             | 38                        | 93%  | 3                      | 7%   | 41         |
| 05        | 10-25-2-05-312 -n -00 | TPP             | 77                        | 95%  | 4                      | 5%   | 81         |
| 05        | 10-25-2-05-312 -r -00 | TPP             | 50                        | 93%  | 4                      | 7%   | 54         |
| 05        | 10-25-2-05-312 -s -00 | TPP             | 40                        | 74%  | 14                     | 26%  | 54         |
| 05        | 10-25-2-05-312 -x -00 | TPP             | 72                        | 70%  | 31                     | 30%  | 103        |
| 05        | 10-25-2-05-312 -y -00 | TPP             | 56                        | 67%  | 27                     | 33%  | 83         |
| 05        | 10-25-2-05-315 -c -00 | IB              | 0                         | 0%   | 519                    | 100% | 519        |
| 05        | 10-25-2-05-316 -b -00 | TPP             | 183                       | 56%  | 145                    | 44%  | 328        |
| 05        | 10-25-2-05-316 -c -00 | TPP             | 102                       | 76%  | 33                     | 24%  | 135        |
| 05        | 10-25-2-05-316 -f -00 | TPP             | 70                        | 89%  | 9                      | 11%  | 79         |
| 05        | 10-25-2-05-317 -b -00 | TPP             | 30                        | 42%  | 42                     | 58%  | 72         |
| 05        | 10-25-2-05-318 -a -00 | IIIA            | 50                        | 46%  | 58                     | 54%  | 108        |
| 05        | 10-25-2-05-318 -f -00 | IIIA            | 200                       | 90%  | 21                     | 10%  | 221        |
| 05        | 10-25-2-05-322 -a -00 | IIIA            | 155                       | 89%  | 20                     | 11%  | 175        |



| Leśnictwo | Adres leśny           | Grupa czynności | Pozyskanie maszynowe [m3] | %      | Pozyskanie ręczne [m3] | %      | Razem [m3] |
|-----------|-----------------------|-----------------|---------------------------|--------|------------------------|--------|------------|
| 05        | 10-25-2-05-322 -d -00 | IIIA            | 346                       | 97%    | 10                     | 3%     | 356        |
| 05        | 10-25-2-05-323 -c -00 | IIIA            | 236                       | 81%    | 54                     | 19%    | 290        |
| 05        | 10-25-2-05-331 -a -00 | TPP             | 82                        | 100%   | 0                      | 0%     | 82         |
| 05        | 10-25-2-05-334 -h -00 | IB              | 302                       | 96%    | 13                     | 4%     | 315        |
| 05        | 10-25-2-05-334 -j -00 | IB              | 219                       | 90%    | 24                     | 10%    | 243        |
| 05        | 10-25-2-05-335 -a -00 | IIA             | 320                       | 61%    | 206                    | 39%    | 526        |
| 05        | 10-25-2-05-335 -f -00 | IIA             | 121                       | 88%    | 17                     | 12%    | 138        |
| 05        | 10-25-2-05-336 -d -00 | IIIB            | 30                        | 7%     | 427                    | 93%    | 457        |
| 05        | 10-25-2-05-339 -b -00 | IB              | 382                       | 95%    | 21                     | 5%     | 403        |
| 05        | 10-25-2-05-339 -c -00 | IIIA            | 291                       | 86%    | 49                     | 14%    | 340        |
| 05        | 10-25-2-05-339 -f -00 | IIIA            | 563                       | 98%    | 12                     | 2%     | 575        |
| 05        | 10-25-2-05-347 -k -00 | IB              | 428                       | 98%    | 8                      | 2%     | 436        |
| Suma:     |                       |                 | 36193                     | 78,05% | 10176                  | 21,95% | 46 369     |

Specjalista  
ds. Administracyjnych  
*Małgorzata Narolska*

p.o. NADLEŚNICZY  
Nadleśnictwa Rokita  
*Mariusz Wabiszczewicz*