

Technical drawing of a bridge structure showing a cross-section with five piers. The drawing includes dimensions for pier widths (12.5, 175, 184, 183, 175) and spans (120). It also shows a concrete palisade, a bridge railing, and a gravel/geotextile layer. Elevation markers include -0.42, ±0.00, and -0.61 (terrain level). A 6.00% slope is indicated.


Technical drawing of a trapezoidal metal mesh structure, likely a filter or screen, showing dimensions and material specifications.

Dimensions:

- Top width: 1500 (maks.1500)
- Bottom width: 150
- Height: 120
- Mesh cell width: 100 (repeated 3 times)
- Mesh cell height: 70

Material Specifications:

- RP 30x40x2 (Top edge)
- Pf 30x5 (Internal horizontal reinforcement)
- RP 30x30x2 (Right edge)
- RO $\phi 51 \times 2,9$ (Left edge)
- pręt $\phi 8$ mm (Internal horizontal reinforcement)
- RP 70x20x2 (Bottom edge)
- $\phi 14$ (Bottom corner reinforcement)
- bl. 70x150x10 (Bottom corner reinforcement plate)

| | | | | |
|----------------------------|--|---|----------------------|---|
| INWESTOR: | SZPITAL SPECJALISTYCZNY W CHORZOWIE ul. Zjednoczenia 10, 41-400 Chorzów | | |  |
| LOKALIZACJA INWESTYCJI: | Szpital Specjalistyczny w Chorzowie, Bud. Poradni Oddz. Diagnostyki i Terapii AIDS (ODTA) i Poradni Uzależnień, ul. Zjednoczenia 10, 41-400 Chorzów, dz. nr 4561/247 | | | |
| TEMAT: | PROJEKT BUDOWLANO-WYKONAWCZY PRZEBUDOWY PODJAZDU DLA OSÓB NIEPEŁNOSPRAWNYCH DO BUDYNKU ODDZIAŁU DIAGNOSTYKI I TERAPII AIDS ORĄŻ PORADNI UZALEŻNIEŃ PRZY UL. ZJEDNOCZENIA 10 W CHORZOWIE | | | |
| OPRACOWAŁ: | mgr inż. Szymon BROŻYNA |  | | DATA: 08.2020 |
| PROJEKTOWAŁ: | mgr inż. Adrian GARCORZ | | SLK/1988/ POOK/07 | |
| NAZWA RYSUNKU: | PRZEKRÓJ 1-1 | | | NR RYS.: PROJ-4 |